

# Comparative Analysis of Different Switching Techniques for Cascaded H-Bridge Multilevel Inverter

U. B. Tayab<sup>\*,1</sup>, M. A. Roslan<sup>1,a</sup> and F. N. Bhatti<sup>2,b</sup>

<sup>1</sup>School of Electrical Systems Engineering, Universiti Malaysia Perlis, Malaysia.

<sup>2</sup>ENAC, Research Cluster, School of Computer and Communication Engineering, Universiti Malaysia Perlis, Malaysia.

\*Ubana50@yahoo.com, <sup>a</sup>mazrik@unimap.edu.my, <sup>b</sup>fahadnazirbhatti@gmail.com

**Abstract** – Multilevel inverters have capability to producing AC staircase output waveform without bulky passive filter. Therefore, among different types of inverters the multilevel inverters are gaining popularity for photovoltaic applications. However, if the switching angle arrangement technique is not selected carefully then the total harmonic distortion (THD) of voltage output waveform may become unacceptable. In this paper, selective harmonics elimination pulse width modulation (SHEPWM) and Equal Phase (EP) switching angle arrangement techniques are applied to a cascaded H-Bridge multilevel inverter. PSIM software is used for evaluation and compare the performance of 9-level cascaded H-Bridge multilevel inverter with two switching angle arrangement techniques. Simulation results shown that SHEPWM technique can produce an output voltage waveform with the lowest THD. On the other hand, the output voltage waveform produced by EP technique had the highest fundamental voltage component. **Copyright © 2016 Penerbit Akademia Baru - All rights reserved.**

**Keywords:** Multilevel Inverter, Total Harmonic Distortion, Selective Harmonics Elimination Pulse Width Modulation, Switching Angle

## 1.0 INTRODUCTION

Nowadays, the development of renewable energy such as solar, wind and geothermal etc. has been increased due to the concerns of global warming and continuing rise of oil prices. The solar energy is among the most important source of renewable energy available today. Photovoltaic system converts solar radiation to electricity through photovoltaic panels.

The power generated by photovoltaic panel is in DC form. Therefore it needs to be converted into AC form using a power inverter [1-2]. Several inverter topologies have been proposed in the past and each inverter topology has different characteristics. The conventional inverter requires a bulky filter to produce sinusoidal AC output voltage waveform [3].


Recently, multilevel inverters gain popularity in PV system. Unlike the conventional inverter, the multilevel inverter does not required bulky filter to generate near sinusoidal AC output waveform [4]. Among different types of multilevel inverter, cascaded H-Bridge multilevel inverter is gaining popularity for stand-alone PV systems [5]. However, if the proper switching angle arrangement technique is not applied then the resulted THD of cascaded battery boost multilevel inverter may become unacceptable. Therefore in this paper two different types of

switching techniques are presented. The switching angle drives using aforementioned techniques and applied to cascaded battery boost inverter.

This paper is organized into sections such as in Section II, the principle of operation of cascaded H-Bridge multilevel inverter are explained, whilst the details of switching angle arrangement techniques are discussed in Section III. In Section IV, the simulation results of 11-level cascaded battery boost inverter having two different sets of switching angles are compared and discussed.

## 2.0 PRINCIPLE OF OPERATION OF CASCADED H-BRIDGE MULTILEVEL INVERTER

The cascaded H-bridge multilevel inverter was proposed by Jih-Sheng and Fang Zheng [6]. Cascaded H-bridge (CHB) multilevel inverter is among the most popular inverter topology in stand-alone PV systems. In Fig. 1 shown the block diagram of cascaded H-bridge multilevel inverter. H-bridge inverters are connected in series with their output voltages are totaled up and hence, it has voltage boosting capability. It is highly reliable with lowest voltage unbalance problem. With N number of H-bridge inverters, the output staircase AC voltage produced consists of  $2N+1$  level [7]. This inverter topology requires separate DC source for each H-bridge inverter as can be seen in Fig. 1.




**Figure 1:** Cascaded H-Bridge Multilevel Inverter

## 3.0 METHODS TO DETERMINE THE SWITCHING ANGLE

The multilevel inverters have various topologies and many advantages. But the existing topologies are unable to produce sinusoidal output waveform due to poor total harmonics distortion (THD) because the switching angles are not carefully arranged. In order to obtain good power quality, different switching angle arrangements are carefully investigated to achieve the lowest THD [8].

The switching angle is basically the moment of the level change. In Fig. 2 shown the output voltage waveform for an m-level multilevel inverter. For an m-level waveform in the period

$0^\circ$ - $90^\circ$  degree, there are  $2(m-1)$  switching angle to be determined. The switching angles are defined as  $\theta_1, \theta_2, \dots, \theta_{m-2}, \theta_{m-1}$  by the time sequence. The sine wave is dividing into four quadrants. The switching angles in first quadrant period ( $0^\circ$ - $90^\circ$ ) are defined as main switching angles.



**Figure 2:** Output Voltage Waveform for Multilevel Inverter

For an  $m$ -level ( $m$  is an odd number) waveform, the main switching angles are  $(m-1)/2$ . From Fig. 2 the switching angles have four relations. The main switching angles in first quadrant (i.e.,  $0^\circ - 90^\circ$ ) are  $\theta_1, \theta_2, \dots, \theta_{(m-1)/2}$ . The switching angles in the second quadrant (i.e.,  $90^\circ - 180^\circ$ ) are  $\theta_{(m+1)/2} = \pi + \theta_1$ . In the third quadrant the switching angles in the second quadrant (i.e.,  $180^\circ - 270^\circ$ ) are  $\theta_m = \pi + \theta_{(m-1)/2}$ . The switching angles in the fourth quadrant (i.e.,  $270^\circ - 360^\circ$ ) are  $\theta_{(3m-1)/2} = 2\pi - \theta_1$ .

For the analysis, only main switching angles need to determine. The other switching angles can be derived from the main switching angles in the first quadrant ( $0^\circ - 90^\circ$ ):

$$\theta_1, \theta_2, \dots, \theta_{(m-1)/2}$$

### 3.1 Equal Phase Method

The Switching Strategy A is derived from the simplest idea, to equally distribute the switching angles in the range  $0 - \pi$ . The main switching angles are calculated by formula:

$$\theta_i = i \left( \frac{180^\circ}{m} \right) \quad \text{where } i = 1, 2, \dots, \frac{m-1}{2} \quad (1)$$

### 3.2 SHEPWM Method

Selective Harmonic Elimination Pulse Width Modulation (SHE) is widely used to control multilevel inverter and produced output voltage with low total harmonic distortion (THD) [9]. The output AC voltage as shown in Fig. 2 can be represented mathematically in a Fourier series as given by

$$v_{out}(\omega t) = \sum_{i=1,3,5,\dots}^{\infty} \frac{4V_{DC}}{i\pi} [\cos(i\theta_1) + \cos(i\theta_2) + \dots + \cos(i\theta_N)] \sin(i\omega t) \quad (2)$$

The peak voltage of each  $i^{\text{th}}$  harmonic component is given by

$$V_{p(i)} = \frac{4V_{DC}}{i\pi} [\cos(i\theta_1) + \cos(i\theta_2) + \dots + \cos(i\theta_N)] \quad (3)$$

The SHE equations can be written with the desired fundamental peak voltage of  $V_1$  and peak voltage of higher order harmonics are zero.


$$\begin{aligned} V_1 &= \frac{4V_{DC}}{\pi} [\cos(\theta_1) + \cos(\theta_2) + \dots + \cos(\theta_N)] \\ 0 &= \cos(3\theta_1) + \cos(3\theta_2) + \dots + \cos(3\theta_N) \\ &\quad \vdots \\ 0 &= \cos((2N-1)\theta_1) + \cos((2N-1)\theta_2) + \dots + \cos((2N-1)\theta_N) \end{aligned} \quad (4)$$

By solving the SHE equations in (4), switching angles at fundamental frequency can be obtained with higher order harmonics are eliminated.

#### 4.0 RESULTS AND DISCUSSION

In this section, results are presented, which are obtained through the simulation of 9-level cascaded H-bridge multilevel inverters using two switching strategies with input DC voltage of 120 and  $10\Omega$  resistive load. PSIM software is accurate simulator for this task which is mentioned before.

The cascaded H-bridge multilevel inverter is simulated for 9-level multilevel inverters. The data of simulation is achieved and analyzed based on the comparison of Total Harmonic Distortion (THD) resulting from EP and SHEPWM switching technique. The switching angles for 9-level cascaded H-bridge multilevel inverter are generated by using switching strategies EP and SHEPWM as shown in Table 1.




**Figure 3(a):** Output Voltage with EP

**Table 1:** Switching Angles for 9-level Cascaded H-bridge Multilevel Inverter


Angle	EP	SHEPWM
$\theta_1$	20	10.02
$\theta_2$	40	22.14
$\theta_3$	60	40.75
$\theta_4$	80	61.77

The waveforms of the output voltages for the 9-level cascaded H-bridge multilevel inverter (CHB) are shown in Figs. 3(a) and (b) whilst, Figs. 4(a) and (b) shown the voltage harmonic spectrum (FFT analysis) of a 9-level cascaded H-bridge multilevel inverter.




**Figure 3(b):** Output Voltage with SHEPWM

**FFT Analysis**



**Figure 4(a):** Voltage FFT Spectrum by Applying EP Method

### FFT Analysis



**Figure 4(b):** Voltage FFT Spectrum by Applying SHEPWM Method

The switching strategies that are presented indicate that the width of the top levels of the output waveforms affected the fundamental components. The output waveform from SHEPWM had a more narrow top-level than EP switching strategy and AC become more near to sinusoidal and the obtained total harmonic distortion from SHEPWM method is lowest than EP method which is 09.03% and EP method had 25.57% which is higher than SHEPWM method.

## 5.0 CONCLUSION

It is observed based on achieved and analyzed simulation results by comparison of above mentioned techniques that the selection of switching technique is an important concern for multilevel inverter. If prepare switching strategy is not chosen than the output voltage distortion of cascaded H-Bridge multilevel inverter can become worse. We provides the two switching strategies for obtained the lowest THD from cascaded H-Bridge multilevel inverter. It is perceived with performance matrix of these techniques that the simulation results are good sign to substantiate the research objective which can help the researchers and developers to mitigate the weakness of these techniques and look forward on its improvement.

## REFERENCE

- [1] Trabelsi, M., and L. Ben-Brahim. "Development of a grid connected photovoltaic power conditioning system based on flying capacitors inverter." In *Systems, Signals and Devices (SSD), 2011 8th International Multi-Conference on*, pp. 1-6. IEEE, 2011.
- [2] Daher, Sergio, Jurgen Schmid, and Fernando LM Antunes. "Multilevel inverter topologies for stand-alone PV systems." *Industrial Electronics, IEEE Transactions on* 55, no. 7 (2008): 2703-2712.
- [3] Cecati, Carlo, Fabrizio Ciancetta, and Pierluigi Siano. "A multilevel inverter for photovoltaic systems with fuzzy logic control." *Industrial Electronics, IEEE Transactions on* 57, no. 12 (2010): 4115-4125.
- [4] Rashid, Muhammad Harunur. *Power electronics: circuits, devices, and applications*. Pearson Education India, 2003.

- [5] Adam, Grain Philip, Stephen J. Finney, Olorunfemi Ojo, and Barry W. Williams. "Quasi-two-level and three-level operation of a diode-clamped multilevel inverter using space vector modulation." *Power Electronics, IET* 5, no. 5 (2012): 542-551.
- [6] Lai, Jih-Sheng, and Fang Zheng Peng. "Multilevel converters-a new breed of power converters." *Industry Applications, IEEE Transactions on* 32, no. 3 (1996): 509-517.
- [7] Sadikin, Muhammad, Tomonobu Senjyu, and Atsushi Yona. "High-frequency link DC for power quality improvement of stand-alone PV system in cascaded multilevel inverter." In *Power Electronics and Drive Systems (PEDS), 2013 IEEE 10th International Conference on*, pp. 597-601. IEEE, 2013.
- [8] Lou, Fang Lin. "Investigation on best switching angles to obtain lowest THD for multilevel DC/AC inverter." In *Proc. IEEE 8th Conference on Industrial Electronics and Application*, pp. 1814-1818. 2013.
- [9] Haghdar, K., H. A. Shayanfar, and MH Shahidi Alavi. "Selective Harmonics Elimination of Multi Level Inverters via Methods of GPS, SA and GA." In *Power and Energy Engineering Conference (APPEEC), 2011 Asia-Pacific*, pp. 1-5. IEEE, 2011.